

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works and Electricity).—

(a) It is an old breached tank.

(b) A number of petitions for restoration of the Tank have been received.

(c) and (d) An estimate for Rs. 1,15,000 was got up, but on examination it was found that the project was not feasible. An alternative scheme to construct a pick-up is under examination.

COMPLETING THE ROAD JOINING RAMADURG-LOKAPUR ROAD IN RAMADURG TALUK.

Q.—113. Sri M. S. PATTAN (Ramdurg).—

Will the Government be pleased to state :—

(a) whether they are aware that the work of the road in Ramdurg Taluka joining Ramdurg-Lokapur Road from Umtar Hanamapur and Aneundi has been partially executed and come to a standstill;

(b) the time they require for completing the work ?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works and Electricity).—

(a) Yes.

(b) The remaining work will be completed as soon as lands for which acquisition proceedings have already been initiated are handed over to the Public Works Department.

FINALISATION OF ALLOCATION STATEMENTS IN SOUTH KANARA DISTRICT IN VARIOUS DEPARTMENTS.

Q.—115. Sri V. SRINIVASA SHETTY (Coondapur).—

Will the Government be pleased to state:—

(a) the number of allocation statements yet to be finalised in South Kanara in the following Departments:—

- (1) Department of Agriculture,
- (2) National Extension Service,
- (3) Revenue Department,
- (4) Registration Department,
- (5) Police Department.

(b) reasons for the delay ?